



DELL P1911 computer monitor 48.3 cm (19") 1440 x 900 pixels Black

Brand : DELL

Product code: 857-10490

Product name : P1911

P1911 - 19" (1440 x 900) TFT LCD, 1000:1, 250 cd/m², 5ms, 16.7M, USB, 18W, 3590g, Black
DELL P1911. Display diagonal: 48.3 cm (19"), Display resolution: 1440 x 900 pixels, Response time: 5 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 160°, Viewing angle, vertical: 160°. USB hub version: 2.0. Product colour: Black



Display		Power	
Display diagonal *	48.3 cm (19")	Power consumption (typical) *	18 W
Display resolution *	1440 x 900 pixels	Power consumption (standby) *	0.5 W
Native aspect ratio *	16:10	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50 - 60 Hz
Display brightness (typical)	250 cd/m ²	Input current	1.5 A
Response time	5 ms	Operational conditions	
Aspect ratio	16:10	Operating temperature (T-T)	-20 - 60 °C
Contrast ratio (typical) *	1000:1	Storage temperature (T-T)	5 - 35 °C
Contrast ratio (dynamic)	50000:1	Operating altitude	0 - 4850 m
Viewing angle, horizontal	160°	Non-operating relative humidity (non-condensing)	5 - 90%
Viewing angle, vertical	160°	Operating temperature (T-T)	41 - 95 °F
Pixel pitch	0.284 x 0.284 mm	Relative humidity	10 - 80%
Viewable size, horizontal	40.8 cm	Packaging content	
Viewable size, vertical	25.5 cm	Quick start guide	✓
Multimedia		Manual	✓
Built-in speaker(s) *	✗	Weight & dimensions	
Built-in camera *	✗	Width (without stand)	442.9 mm
Design		Depth (without stand)	171.9 mm
Market positioning *	Business	Height (without stand)	314.7 mm
Product colour *	Black	Weight (without stand)	3.59 kg
Certification	TCO	Packaging data	
Ports & interfaces		Package weight	6.2 kg
USB hub version	2.0	Sustainability	
USB Type-A downstream ports quantity	4	Sustainability certificates	ENERGY STAR
VGA (D-Sub) ports quantity	1		
DVI-D ports quantity	1		
HDCP	✓		

Ergonomics		Other features	
Panel mounting interface	100 x 100 mm	TV tuner integrated	✗
Cable lock slot *	✗	Dimensions (W x D x H) (imperial)	443.2 x 172 x 314.7 mm (17.4 x 6.77 x 12.4")
LED indicators	Stand-by	Power requirements	100-240V, 50/60Hz
		Package weight (imperial)	6.19 kg (13.6 lbs)

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-OCT-2023. Prints or copies of Information are only valid on the printed Publication date